Sanitary Articles

*300 *Q*.—Thiru A. R. DAMODARAN (on behalf of Thiru G. SWAMINATHAN): Will the Hon. the Minister for Public Works be pleased to state—

(*a*) whether it is a fact that sanitary articles worth many thousands are lying unused for about ten years at the Office of the Superintending Engineer, Highways and Rural Works, Tiruchirappalli;

(*b*) if so, the reasons therefor; and

(*c*) the action that the Government propose to take in the matter?

துப்புரவுப் பணிப் பொருட்கள்

திரு. ஏ. ஆர். தாமோதரன் (திரு. ஜி. சுவாமிநாதன் சார்பில்): மாண்புமிகு பொதுப்பணி அமைச்சர் அவர்கள் கீழ்க்கண்ட வினாக்களுக்குப் பதிலளிக்க வேண்டுகிறேன்—

(அ) திருச்சிராப்பள்ளி நெடுஞ்சாலை—கிராமப் பணிகள் துறைக் கண்காணிப்புப் பொறியாளர் அலுவலகத்தில் ஏறத்தாழ 10 ஆண்டுகளாகப் பல்லாயிரக்கணக்கான ரூபாய் பெறுமானமுள்ள துப்புரவுப் பணிப் பொருட்கள் பயனற்றுக் கிடக்கின்றன என்பது உண்மையா?

(இ) ஆமெனில், அதற்கான காரணங்கள் யாவை?

(உ) இது குறித்து அரசு எடுக்கக் கருதியுள்ள நடவடிக்கை என்ன.

The Hon. Thiru S. J. SADIQ PASHA: (*a*) As on April 1961, there was a stock of unused sanitary articles worth Rs. 1,71,015 at the office of the Superintending Engineer (Highways and Rural Works), Tiruchirappalli.

(*b*) For implementing the works under the National Water Supply and Sanitation Programme, the Executive Engineer, Public Works Department at Tiruchirappalli in charge of the Special Division for the scheme, purchased sanitary and water supply materials. The materials could not be used due to the lack of interest among the villagers and the special division was closed on 31st March 1961, and the control of the execution of the scheme was transferred to the Highways and Rural Works Division at Tiruchirappalli. The surplus stores were taken to the Section Stores of the Highways and Rural Works Division at Tiruchirappalli.

Under the National Water Supply and Sanitary (Rural) Programme no new schemes were taken up from 1st April 1961 and only incomplete works were taken up and completed. So the materials purchased before could not be utilised fully as anticipated.

(c) Instructions were issued to the Chief Engineer (Highways and Rural Works) to dispose of the materials to the Panchayat Unions according to their requirements and collect the cost from them. The Chief Engineer has also been instructed to transfer the materials to the Public Health Engineering Department for meeting their needs and to dispose of the balance, if any, in public auction.

Illumination of the Krishnagiri Reservoir

* 301 *Q.*—Thiru V. ISVARMURTI: Will the Hon. the Minister for Public Works be pleased to state the details of the plans to illuminate the Krishnagiri Reservoir?

கிருஷ்ணகிரி நீர்த்தேக்கத்திற்கு அலங்கார விளக்குகள்

திரு. வ. ஈஸ்வரமூர்த்தி: மாண்புமிகு பொதுப் பணி அமைச்சர் அவர்கள் கீழ்க்கண்ட வினாவிற்குப் பதிலளிக்க வேண்டுகிறேன்—

கிருஷ்ணகிரி நீர்த்தேக்கத்திற்கு அலங்கார விளக்குகள் அமைப்பதற்கான திட்ட விவரங்கள் யாவை?

மாண்புமிகு திரு. எஸ். ஜே. சாதிக் பாட்சா: கிருஷ்ணகிரி அணை, பூங்கா இவற்றை விளக்குகளால் அலங்கரிப்பதற்காக திட்டம் ஒன்றை தலைமைப் பொறியாளர் (பாசனம்) அனுப்பியுள்ளார். இத்திட்டத்தின் மதிப்பீடு சுமார் 5 லட்ச ரூபாயாகும். இத்திட்டம் அரசின் பரிசீலனையில் இருக்கிறது.

Dam across Kamandala Naga River

* 302 *Q.*—Thiru L. BALARAMAN: Will the Hon. the Minister for Public Works be pleased to state—

(a) whether any survey was carried out in Amirthi, Vellore taluk, North Arcot district for the construction of a dam across Kamandala Naga River; and

(b) if so, the present stage thereof?